White Commercial Air Curtain Fan Wall Mounted Cross Flow Cooling Air Door 6kw

Basic Information

Place of Origin: China FoshanBrand Name: Available for ODM

Certification: CE Model Number: FM3520Y

Minimum Order Quantity:

• Price: Contact Us

Packaging Details: Carton packaging 1 units per carton

• Delivery Time: 3-8 work days

Payment Terms: T/TSupply Ability: 5000



Product Specification

• Type: Air Curtain

Mounting: Wall / Window Mount

• Applicable Industries: Hotels

• Place Of Origin: China Foshan

• Warranty: 1 Year

Key Selling Points: High Air Speed And High Air Capacity

Weight (KG): 24KGWarranty Of Core Components: 1 Year

• Core Components: Motor

Material: Full Metal Casing

Noise Level: 64db

• Highlight: Wall Mounted Air Curtain Fan,

6kw Air Curtain Fan,

White Commercial 6kw air curtain



More Images



Product Description

Product Applications

A pet store serves as an activity space for pets, and air curtains can create a pleasant environment for both pets and customers. Air curtains effectively block outdoor dust, odors, and insects from entering the store, helping to maintain cleanliness and hygiene inside. For pets, air curtains can minimize the impact of external negative factors, reducing the risk of illness. For customers, air curtains allow them to browse pet supplies and interact with pets in a comfortable setting. Additionally, the low operating noise of air curtains won't startle the pets. Furthermore, the attractive design of air curtains adds a warm atmosphere to the pet store, attracting more customers.



Product Housing

The design of the air curtain housing features excellent adaptability, accommodating various installation environments and usage requirements. Whether in high, low, or humid conditions, the housing maintains optimal performance and appearance. Additionally, the housing can be customized according to different models and specifications of air curtains, ensuring a perfect match. Its eco-friendliness is outstanding, as the housing materials are recyclable and do not contribute to environmental pollution, providing users with a green and sustainable choice.


Product Motor

The environmental performance of the core motor is one of the key advantages of the air curtain. Made from eco-friendly materials and utilizing advanced manufacturing processes, the motor operates without emitting harmful substances, ensuring it is safe for both the environment and human health. The eco-friendly motor aligns with modern society's demand for green solutions, offering users a healthier and safer choice. Additionally, this environmentally friendly motor reduces pollution, contributing to sustainable development. Furthermore, it enhances the market competitiveness of the air curtain by meeting users' demand for eco-friendly products.

Product Fan Wheel

The blower wheel design of the air curtain takes energy efficiency and environmental protection into account. Utilizing a high-efficiency motor and an optimized wheel structure, it generates a powerful air curtain while consuming less energy. This design not only aligns with modern society's demands for energy-saving and eco-friendly solutions but also helps users save on energy costs while reducing environmental pollution. Furthermore, the energy-efficient and environmentally friendly blower wheel design contributes to the sustainable development of the air curtain industry, supporting the construction of a greener society.

Product Dimension Diagram



Product Specifications

型号 Model	定 Rated voltage (V)	定率 Rated frequency (Hz)	功率 Powe (W)	速 Wind speed (m/s)	量 Air volume (m3/h)	噪音 Nois e dB(A)	安装高度 Installatio n height (m)	外形尺寸 Dimensio ns (mm)	重kg Net weight (kg)
FM3509	220	50	135/1 15	11-13	2350	55	3.0-3.5	920X207 X175	11.0
FM3509 Y	220	50	135/1 15	11-13	2350	55	3.0-3.5	920X207 X175	11.0
FM3512	220	50	175/1 64	11-13	3050	57	3.0-3.5	1200X207 X175	13.0
FM3512 Y	220	50	175/1 64	11-13	3050	57	3.0-3.5	1200X207 X175	13.0
FM3515	220	50	232/2 10	11-13	3950	59	3.0-3.5	1500X207 X175	16.0
FM3515 Y	220	50	232/2 10	11-13	3950	59	3.0-3.5	1500X207 X175	16.0
FM3518	220	50	275/2 18	11-13	4500	62	3.0-3.5	1800X207 X175	22.0
FM3518 Y	220	50	275/2 18	11-13	4500	62	3.0-3.5	1800X207 X175	22.0
FM3520	220	50	293/2 40	11-13	4700	64	3.0-3.5	2000X207 X175	24.0
FM3520 Y	220	50	293/2 40	11-13	4700	64	3.0-3.5	2000X207 X175	24.0

© ZhongDian Guangdong Zhongdian Jiajin Environmental Technology Co., Ltd.



sales001@zd-fan.com

e z

Xizi Industrial Zone, Lishui Town, Nanhai District, Foshan City, Guangdong Province, China