Powerful Smoke Exhaust Commercial Ventilation Centrifugal Water Curtain Cooling Wind Cabinet

Basic Information

Place of Origin: China FoshanBrand Name: Available for ODM

• Certification: CE

• Model Number: LFT32G-35

• Minimum Order Quantity: 1

• Price: Contact Us

Packaging Details: Carton packaging 1 units per carton

• Delivery Time: 3-8 work days

Payment Terms: T/TSupply Ability: 5000



Product Specification

Applicable Industries: KitchenElectric Current Type: AC

After-sales Service Online Support

Provided:

Place Of Origin: China FoshanVoltage: 220V Or 380V

Customized Support: OEM

Mounting: FREE STANDING

Model Number: LFT32G-35Warranty: 1 Year

• Core Components: Motor, Impeller

Type: Centrifugal Ventilation CabinetFan Type: Centrifucal Wind Cabinet

Keyword: Easy To CleanMotor Type: AC Motor



More Images





Product Description

Product Application

The Centrifugal Water Curtain Cooling Air Cabinet stands as a pinnacle of air cooling efficiency, harnessing the innovative centrifugal water curtain technology. This advanced system is adept at swiftly lowering ambient temperatures, thereby creating a refreshing and comfortable atmosphere. Its versatile applications span across various environments, including kitchens for effective cooling and enhancing indoor air quality with fresh air supply.

Product Advantage


Stainless Steel Enclosure:

Crafted from premium stainless steel, the cabinet boasts exceptional rust-resistance and corrosion-proof qualities. Its robust construction ensures durability and safety, making it a reliable choice for long-term use.



High-Performance Water Curtain Paper:

Engineered with a unique honeycomb structure, this specialized paper facilitates optimal water absorption and distribution. Its water-soluble properties prevent alterations in texture, while its design effectively inhibits backflow, ensuring consistent performance and hygiene.



Ease of Use:

Designed for user convenience, the system incorporates a straightforward clean water function that not only promotes better air quality but also accelerates the cooling process, delivering instantaneous comfort with minimal effort.




Product Parameters

Model Number	Moltage	Air Volume	Power	Noise	Voltage	Consump	Number Of open tuyere	Weight
Unit	(V)	(m³/h)	(W)	(dB)	(Pa)	(L/H)	(pcs)	(KG)
LFT32G- 35D	220	3500	320	49	420	3	8-10	57

LFT32G- 35	380	3500	320	49	430	3	8-10	57
LFT55G- 50D	220	5000	550	53	449	6	10-15	68
LFT55G- 50	380	5000	550	53	468	6	10-15	68
70	360	7000	1100	55	480	10	15-20	70
LFT150G -100	380	10000	1800	56	530	12	8-25	93

Product Dimension Diagram



Product Dimension Parameters

Model Number		B(W)	C(H)	D	E	F	G	H	Flange thicknes s
LFT32G- 35D		810	621	85	588	378	345	250	30*30
LFT55G- 50D	941	840	686	85	618	443	355	290	30*30
LFT80G- 70	941	840	686	85	618	443	355	290	30*30
LFT150 G-100	991	940	729	85	718	486	425	300	30*30

Company Profile

Guangdong Zhongdian Jiajin Environmental Technology Co., Ltd. originated from Foshan Nanhai Zhongxing Hardware Electrical Appliance Factory (with brands including Zhongdian Fresh Air and Zhongdian Xinke). The company specializes in the research, development, and manufacturing of DKT external rotor air conditioning fans (snail-type and square-type), mixed flow booster duct fans, KTF stainless steel external rotor centrifugal air handling units, air curtains, purifying low-noise fans, and centrifugal low-noise ventilation equipment. It is a modern national high-tech enterprise focusing on EC frequency conversion digital energy-saving fans. The manufacturing base is located in Foshan, Guangdong Province.

Since its establishment in 1997, the company has adhered to a quality-centric approach and actively developed its proprietary brand, Zhongdian. It has successively passed ISO9001, CE, and national CCC mandatory product certifications and has obtained multiple utility model patents. The company ranks among the top in the industry in terms of comprehensive strength and brand influence.

Guangdong Zhongdian Jiajin Environmental Technology Co., Ltd. operates under the philosophy of "Technological Innovation, Respect for Talent, Reform and Innovation, Pursuit of Excellence." The company has introduced over ten advanced automation devices and possesses a testing laboratory that complies with the national standard GB/T 1236-2017 "Performance Testing of Industrial Fans with Standardized Ducts," along with a 5S management system. It emphasizes user experience with its products and focuses on continually meeting customer needs. Through relentless efforts, the company has

become a leader in the fresh air system market.

The company adheres to the principle of "Quality First, Quantity Second," earning trust from users across the country with its excellent quality and outstanding performance. It strives to enhance competitive advantages in pre-sales, sales, and aftersales services, and continues to uphold the creed of "Customer First, Service Excellence." The company is dedicated to continuous product and service iteration, aiming to become a leading brand in high-end fresh air system equipment.



EXHIBITION SHOW

We have strong sales network system and can undertake a large number of OEM/ODM orders.. Our products are mainly exported to Europe, America, the Middle East and Southeast Asia, and old customers account for up to 30%. Our products are made of pure copper tubes and use Yongan motors, has the characteristics of high quality, super mute, comfortable style and reasonable price. We have independent R & D and design team that can meet any comments and conditions you have on product customization and technology research and development.



The team

Our team will also carry out some outdoor group building activities to enhance the cohesion of employees and devote the mselves to work with more enthusiasm.









Showcase of Factory Capabilities









© ZhongDian Guangdong Zhongdian Jiajin Environmental Technology Co., Ltd.





sales001@zd-fan.com



g zd-fan.com

Xizi Industrial Zone, Lishui Town, Nanhai District, Foshan City, Guangdong Province, China