

Hybrid Airflow Centrifugal Extractor Quiet Duct Integrated Exhaust Fan

Our Product Introduction

for more products please visit us on zd-fan.com

Basic Information

- Place of Origin: China Foshan
- Brand Name: Available for ODM
- Certification: CE
- Model Number: DJT25-170
- Minimum Order Quantity: 1
- Price: Contact Us
- Packaging Details: Carton packaging 1 units per carton
- Delivery Time: 3-8 work days
- Payment Terms: T/T
- Supply Ability: 5000



Product Specification

- Applicable Industries: Hotels, Garment Shops, Building Material Shops, Manufacturing Plant, Machinery Repair Shops, Food & Beverage Factory, Farms, Restaurant, Home Use
- Product Type: Duct Exhaust Fan
- After-sales Service Provided: Online Support
- Place Of Origin: China Foshan
- Customized Support: OEM
- Blade Material: Plastic
- Voltage: 220V
- Warranty: 1 Year
- Product Name: Inline Fan
- Color: White
- Name: Inline Duct Fan
- Function: Ventilaion



More Images



Product Description

Product Utilization

In the realm of industrial manufacturing, axial fans play a pivotal role. They proficiently eliminate detrimental fumes and particulates from sectors like chemical processing and pharmaceuticals, safeguarding worker well-being and prolonging the lifespan of production machinery. Their resilient construction enables them to withstand the rigors of diverse and demanding industrial settings.



Innovative Impeller Design

The axial fan's impeller boasts a design that prioritizes ease of maintenance. Its streamlined structure simplifies disassembly and reassembly, expediting upkeep and minimizing operational disruptions. In instances requiring blade replacement or repair, the process is swift, thereby curtailing downtime and boosting productivity. Furthermore, the impeller's design harmoniously integrates with the motor, assuring peak performance of the entire unit.


Seamless Installation Experience

The axial fan's interface is meticulously crafted for effortless integration with ventilation systems. Adhering to standardized connection procedures guarantees a secure fit, ensuring uninterrupted operation of the ventilation network. The connections are also meticulously sealed, significantly reducing post-installation air leakage concerns, further enhancing system efficiency.

Product Specifications

Model number	Power	Airflow	Static Pressure	Noise Level	Duct Diameter	Quantity per Carton	Net Weight
	(W)	(m ³ /h)	(Pa)	(dB)	(mm)	(Unit Box)	(kg)
DJT10-20	30/26	200/170	183/130	30/25	100	6	1.8
DJT15-54	48/40	540/384	330/280	40/35	150	6	2.2
DJT20-90	76/60	900/820	380/310	50/45	200	6	2.7
DJT25-170	173/152	1700/1200	550/480	56/50	250	1	18
DJT31-230	350/260	2300/1900	650/500	60/55	315	1	20


Product Dimensions Diagram




Product Size Specifications

Model number	A	B(Φ)	C	D	E	F	H	H1
dJT10-20	300	100	100	214	62	60	182	95
DJT15-54	293	150	120	237	72	70	211	110
DJT20-90	304	200	140	258	78	85	235	124
DJT25-170	367	250	317	208	120	95	365	196
DJT31-230	450	315	360	255	120	95	410	215

 **ZhongDian** Guangdong Zhongdian Jiajin Environmental Technology Co., Ltd.

 0085246403891

 sales001@zd-fan.com

 zd-fan.com

Xizi Industrial Zone, Lishui Town, Nanhai District, Foshan City, Guangdong Province, China