

## Custom Lightweight Inline Bathroom Extractor Fan Impellers For Duct Exhaust Systems

### Our Product Introduction

#### Basic Information

- Place of Origin: China Foshan
- Brand Name: Available for ODM
- Certification: CE
- Model Number: DJT15-54
- Minimum Order Quantity: 1
- Price: Contact Us
- Packaging Details: Carton packaging 1 units per carton
- Delivery Time: 3-8 work days
- Payment Terms: T/T
- Supply Ability: 5000



#### Product Specification

- Applicable Industries: Hotels, Garment Shops, Building Material Shops, Manufacturing Plant, Machinery Repair Shops, Food & Beverage Factory, Farms, Restaurant, Home Use, Retail, Food Shop, Printing Shops, Construction Works, Energy & Mining, Food & Beverage Shops, Other, Advert
- Electric Current Type: AC
- Mounting: Duct Fan
- After-sales Service Provided: Video Technical Support
- Place Of Origin: China Foshan
- Customized Support: OEM
- Blade Material: Plastic
- Voltage: 220V
- Warranty: 1 Year
- Core Components: Other



#### More Images



## Product Description

### Product Applications:

In air conditioning systems, the inclined flow fan serves a pivotal supportive function. By augmenting air circulation, it ensures a more consistent indoor temperature. When integrated with central air conditioning units, it bolsters system efficiency and curtails energy consumption. Moreover, it fosters enhanced indoor air quality, creating an inviting ambiance for living and working spaces.



### Product Impeller:

The inclined flow fan impeller is meticulously designed for equilibrium. Following exacting balancing procedures, the impeller functions seamlessly, minimizing vibrations and noise levels. This not only elevates user comfort but also prolongs the product's lifespan. The design astutely considers airflow orientation and pressure distribution, enabling unobstructed air passage through the fan, thus optimizing ventilation performance.


### Ease of Installation:

With its compact dimensions, the inclined flow fan strikes an ideal balance—neither unwieldy nor undersized for efficient operation. Its installation is effortless, adapting effortlessly to confined or expansive settings alike. Furthermore, its lightweight nature simplifies handling, obviating the requirement for cumbersome lifting machinery.

### product specifications

Model number	Power	Airflow	Static Pressure	Noise Level	Duct Diameter	Quantity per Carton	Net Weight
	(W)	(m <sup>3</sup> /h)	(Pa)	(dB)	(mm)	(Unit Box)	(kg)
DJT10-20	30/26	200/170	183/130	30/25	100	6	1.8
DJT15-54	48/40	540/384	330/280	40/35	150	6	2.2
DJT20-90	76/60	900/820	380/310	50/45	200	6	2.7
DJT25-170	173/152	1700/1200	550/480	56/50	250	1	18
DJT31-230	350/260	2300/1900	650/500	60/55	315	1	20


### product dimensions drawing




## product dimension specifications

Model number	A	B(Φ)	C	D	E	F	H	H1
dJT10-20	300	100	100	214	62	60	182	95
DJT15-54	293	150	120	237	72	70	211	110
DJT20-90	304	200	140	258	78	85	235	124
DJT25-170	367	250	317	208	120	95	365	196
DJT31-230	450	315	360	255	120	95	410	215

 ZhongDian **Guangdong Zhongdian Jiajin Environmental Technology Co., Ltd.**

 0085246403891

 sales001@zd-fan.com

 zd-fan.com

Xizi Industrial Zone, Lishui Town, Nanhai District, Foshan City, Guangdong Province, China