# 220V Metal Split Duct Exhaust Fan Low Noise 500RPM

## **Basic Information**

Place of Origin: Guangdong, China
 Certification: CCC/CE/ISO9001

• Model Number: DPT10-15

• Price: \$13-18

Minimum Order Quantity:



## **Product Specification**

Voltage: 220V
Speed: 500RPM
Blade Material: Metal
Mounting Type: Duct Fan
Model Number: DPT10-15

• Product Type: Full Metal Ceiling Fan

Customized Support: OEM, ODMSupply Ability: 20000/month

• Feature: Durable Low Noise Energy Saving High

Performance

Packing: Carton & Wooden BoxAfter-sales Service: Video Technical Support

Material: Metal

• Logo Customization: Accept Customized Logo

Payment Terms: TT,L/C,D/A,D/P,Western Union,MoneyGram



# More Images







### 220V AC Electrical Metal Quiet In-line Centrifugal Exhaust Split Duct Exhaust Fan

### **Product Specifications**

Customized Support	OEM, ODM					
Blade Material	Metal					
Mounting Type	Duct Fan					
Voltage	20V					
Speed	500RPM					
Warranty	1 Year					
After-sales Service	Video technical support					
Product Name	Split Duct Exhaust Fan					
Key Features	Durable, Low Noise, Energy Saving, High Performance					
Customer Service	24-hour online service					
Packaging	Carton & Wooden box					
Supply Capacity	20,000 units/month					
Port	Guangzhou					
Payment Methods	TT, L/C, D/A, D/P, Western Union, MoneyGram					

#### **Detailed Product Information**

Model Number: DPT10-15


**Product Name:** Full Metal Ceiling Fan **Logo:** Accept Customized Logo




# PRODUCT PERFORMANCE SPECIFICATIONS

Model number	Voltageffrequency (V/Hz)									
							Nozzle diameter			
DPT10-15	220/50	28	150	65	32	1290	Φ100	6-10	240x200x225	2.5
DPT10-25	220/50	43	250	110	35	1560	Φ100	10-17	240x200x225	2.5
DPT15-30	220/50	48	300	140	43	1000	Φ150	10-20	340x260x340	4.2
DPT15-45	220/50	56	450	140	45	1206	Φ150	20-25	340x260x340	4.2
DPT20-50	220/50	95	500	180	46	1000	Φ200	25-28	390x360x400	6.4
DPT20-60	220/50	100	600	180	46	1200	Φ200	28-33	390x360x400	6.4
DPT20-70	220/50	110	700	190	48	1100	Φ200	33-38	390x360x400	7.5
DPT20-80	220/50	120	800	200	48	1200	Φ200	38-42	390x360x400	7.5
DPT20-90	220/50	133	900	220	50	1000	Φ200	42-48	390x360x400	7.5
DPT20-120	220/50	220	1200	230	52	1200	Φ200	48-58	390x360x400	8.4
DPT20-150	220/50	225	1500	280	53	1500	Φ200	60-70	390x360x400	8.4
DPT25-210	220/50	302	2100	320	65	1250	Ф250	80-100	410x365x400	9.5

# **PRODUCT DIMENSIONS DIAGRAM**





# **PRODUCT DIMENSIONS**

unit:mm

DPT10-15	220	180	120	197	120	180	180	83	144	100
DPT10-25	220	180	120	197	120	180	180	83	144	100
DPT15-30	303	280	188	280	157	250	226	118	184	150
DPT15-45	303	280	188	280	157	250	226	118	184	150
DPT20-50	350	300	190	330	160	300	311	165	235	200
DPT20-60	350	300	190	330	160	300	311	165	235	200
DPT20-70	350	300	190	330	160	300	311	165	235	200
DPT20-80	350	300	190	330	160	300	311	165	235	200
DPT20-90	350	300	190	330	160	300	311	165	235	200
DPT20-120	350	300	190	330	160	300	311	165	235	200
DPT20-150	350	300	190	330	160	300	311	165	235	200
DPT25-210	390	335	190	370	160	310	320	185	255	250

## Why Choose Our Exhaust Fans

Professional service and high quality products

Established in 1997 with extensive industry experience

ISO9001, CE, and CCC certified

Multiple utility model patents

Industry-leading comprehensive strength and brand influence



Welcome to Our Shop



### POWERFUL MANUFACTURER

I Years of manufacturing experience each process is strictly controlled.

### CUSTOMIZED SERVICES

Provide a variety of styles of customization services to meet different needs.





## HIGH QUALITY MATERIALS

Carefully palish every detail to enhance the quality of the product

# ATTENTIVE SERVICE

All customer information will be kept secure and will not be disclosed to the public.



## ONE-STOP SHOPPING, A COMPLETE SET OF SERVICE

Here you can buy all the products needed in the ventilation equipment at one time, and oustomers can enjoy the company's long-term technical advisory services.

### **Frequently Asked Questions**

#### Q: Why choose us?

A: Since its establishment in 1997, we has adhered to a quality-centric approach and actively developed its proprietary brand, Zhongdian. It has successively passed ISO9001, CE, and national CCC mandatory product certifications and has obtained multiple utility model patents. The company ranks among the top in the industry in terms of comprehensive strength and brand influence.

### Q: What are our customized services?

A: Support non-standard design, such as special voltage, flange interface, LOGO, etc.

#### Q: How do we guarantee the quality of our products?

A: We check every part of the product before production to ensure that the parts are flawless. Employees in strict accordance with the production process orderly. A series of strict testing processes are carried out on the products before leaving the factory. The packaging process stabilizes and seals the product machinery.

#### Q: About after-sales service.

A: 1) 24-hour service hotline, professional technicians answer product questions; 2) Provide relevant technical guidance according to the use of customers; 3) Regularly make a return visit to understand the product operation, and exchange the latest maintenance and servicing technology.

#### Q: What's your MOQ?

A: We don't have MOQ. No matter 1set order or 100sets order, we will give you support with our heart and soul.

# **WELCOME TO CONSULT AND NEGOTIATE** BACK TO HOME

© ZhongDian Guangdong Zhongdian Jiajin Environmental Technology Co., Ltd.

0085246403891

sales001@zd-fan.com

**Zd-fan.com** 

Xizi Industrial Zone, Lishui Town, Nanhai District, Foshan City, Guangdong Province, China